


Thermal Printer

SEIKO established in September 7, 1937 With precision engineering Seiko Instruments continues to build on direct thermal's advantages. We offer a complete line of reliable high performance printers with flexible, small footprint designs that help streamline the integration process. Rely on dependable Seiko Instruments printers and components to tackle even the toughest thermal printing requirements.

LTP02 Series (2" vertical mounting)



- Max. printing speed: 100mm/sec (Only LTP02-245-13)
- Extremely compact design for mobile terminal
- Light weight only 28g
- LTP02-245-C1 (Low Voltage)
 - Single cell operated - (3.7V - 4.2V)
- LTP02-245-13
 - High speed mechanism (4.75 - 9.5 V)



LTP02-245

*Both are mechanical compatible

*Reduces the space for mounting


LTPD245/345 (2" & 3" without cutter)




- High performance in compact design
- Max. printing speed (LTPD245) : 100mm/sec Platen latch function
- Label printing *Under specific conditions only.

Operating voltage: 4.5V-9V

LTPD345
(Horizontal)



LTPD245 (Vertical)




CAPD245/345 (2" & 3" with cutter)




- Built-in auto-cutter
- Jam-free cutter design
- Max. printing speed (CAPD245) : 100mm/sec Platen latch function
- CAPD245: Maximum 100mm/s print is available.
- CAPD345: Maximum 80mm/s print is available.

Operating voltage: 4.75V-9.5V



CAPD345




CAPD245

LTPD247/347 (2" & 3" without cutter)



- High performance in compact design
- Max. printing speed: 200mm/sec
- Platen latch function
- Label printing *Under specific conditions only.

Operating voltage : 24V



CAPD247/347(2" & 3" with cutter)



- Built-in auto-cutter
 - Jam-free cutter design
 - Max. printing speed: 200mm/sec Platen latch function
- Operating voltage : 24V**

Lorem ipsum



Thermal printer product catalog

CAPM Series




- Max. printing speed: 300mm/sec
 - Build in auto paper cutter
 - Head open design for easy paper operation
 - Heavy-duty: 200km, 2mil. cuts
 - Wide operating temperature: -20°C to 60°
 - Supports thick paper
- Operating voltage :24v**



CAPM347

LTP04



- Max. printing speed: 250mm/sec
 - Heavy-duty: 150km, 2mil. cuts
 - Easy maintenance
 - Major parts are replaceable without tools
- Operating voltage :24v**

